





TIRE CURING BLADDERS, LLC



Large Truck / Rear Farm

Bladder Code	Reference Size (mm)	Crown Gauge A (mm)	Foot I.D. B (mm)	Foot Height C (mm)	Foot Width D (mm)	Neck Gauge E (mm)	Outside Diameter F (mm)	Over-all Height G (mm)	Effective Periphery H (mm)	Wt. Lbs (Kilos)	Etch Page 19
7646	24" small (mm)	0.63 / 16.0	17.50 / 444.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	26.00 / 660.4	17.85 / 453.4	21.94 / 557.3	40.35 / 18.34	3
7647	24" medium (mm)	0.63 / 16.0	17.50 / 444.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	26.00 / 660.4	22.85 / 580.4	26.94 / 684.3	49.50 / 22.50	3
7651	24" large (mm)	0.63 / 16.0	17.50 / 444.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	27.50 / 698.5	29.86 / 758.4	34.00 / 863.6	62.70 / 28.50	4
7652	24" X-large (mm)	0.63 / 16.0	17.50 / 444.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	27.50 / 698.5	33.86 / 860.0	38.00 / 965.2	72.00 / 32.73	5
9373	25" (mm)	0.63 / 16.0	18.38 / 466.9	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	30.00 / 762.0	41.00 / 1041.4	45.07 / 1144.8	91.00 / 41.27	10
7662	26" (mm)	0.63 / 16.0	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	23.25 / 590.6	27.27 / 692.7	60.30 / 27.35	3
11478	26" (mm)	0.63 / 16.0	23.00 / 584.2	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	23.25 / 590.6	27.27 / 692.7	60.30 / 27.35	3
4779	24"-28" (mm)	0.75 / 19.1	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	30.00 / 762.0	23.25 / 590.6	27.34 / 694.4	66.10 / 29.98	3
7661	26" (mm)	0.63 / 16.0	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	25.25 / 641.4	29.27 / 743.5	65.00 / 29.55	3
11477	26" (mm)	0.63 / 16.0	23.00 / 584.2	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	25.25 / 641.4	29.27 / 743.5	63.00 / 28.64	3
7663	26"-28" (mm)	0.63 / 16.0	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	28.50 / 723.9	32.52 / 826.0	71.10 / 32.32	3
11479	26"-28" (mm)	0.63 / 16.0	23.00 / 584.2	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	28.50 / 723.9	32.52 / 826.0	69.50 / 31.59	3
7664	28"-30" (mm)	0.63 / 16.0	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	33.75 / 857.3	37.77 / 959.4	84.00 / 38.10	3
11480	28"-30" (mm)	0.63 / 16.0	23.00 / 584.2	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	29.75 / 755.7	33.75 / 857.3	37.77 / 959.4	84.00 / 38.10	3
4780	26"-30" (mm)	0.77 / 19.6	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	30.04 / 763.0	33.75 / 857.3	37.84 / 961.1	97.00 / 44.09	3
8409	FORMER 386C (mm)	0.75 / 19.1	21.50 / 546.1	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	31.00 / 787.4	41.00 / 1041.4	44.75 / 1136.7	106.00 / 48.07	3
8358	34"-38" (mm)	0.55 / 14.0	26.75 / 679.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	38.00 / 965.2	33.60 / 853.4	38.80 / 985.5	100.50 / 45.58	3
8359	34"-38" (mm)	0.55 / 14.0	26.75 / 679.5	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	38.00 / 965.2	41.60 / 1056.6	46.80 / 1188.7	120.00 / 54.42	3
11475	34"-38" (mm)	0.55 / 14.0	25.50 / 647.7	1.50 / 38.1	0.63 / 16.0	0.63 / 16.0	38.00 / 965.2	41.60 / 1056.6	46.80 / 1188.7	120.00 / 54.42	3
4781	36"-38" small (mm)	0.78 / 19.8	29.50 / 749.3	1.25 / 31.8	0.63 / 16.0	0.63 / 16.0	38.06 / 966.7	23.35 / 593.1	27.34 / 694.4	89.00 / 40.45	1



TIRE CURING BLADDERS, LLC



Large Truck / Rear Farm

Bladder Code	Reference Size (mm)	Crown Gauge	Foot I.D.	Foot Height	Foot Width	Neck Gauge	Outside Diameter	Over-all Height	Effective Periphery	Wt. Lbs (Kilos)	Etch Page 19
		A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)		
B0045J	15"	0.35	10.88	0.80	0.50	0.375	16.75	21	23.43	16.40	
	(mm)	8.9	276.4	20.3	12.7	9.5	425.5	533.4	595.1	7.44	
B0109N	20"	0.40	15.13	1.09	0.50	0.59	22.50	22	25.02	29.50	
	(mm)	10.2	384.3	27.7	12.7	15.0	571.5	558.8	635.5	13.38	
B08132	15" / 16"	0.38	11.00	0.80	0.50	0.4	16.75	13.25	15.57	9.00	
	(mm)	9.7	279.4	20.3	12.7	10.2	425.5	336.6	395.5	4.08	
B08342	14" / 15"	0.35	10.75	0.80	0.50	0.37	15.82	18.75	21.11	13.70	
	(mm)	8.9	273.1	20.3	12.7	9.4	401.8	476.3	536.2	6.23	
B0923M	20"	0.40	15.13	1.09	0.50	0.59	22.50	19.63	22.64	25.70	
	(mm)	10.2	384.3	27.7	12.7	15.0	571.5	498.6	575.1	11.68	
B00529		0.40	21.75	1.02			29.50	29.75	31.25	71.50	
	(mm)	10.2	552.5	25.9			749.3	755.7	793.8	32.50	
B0924M		0.40	15.50	1.05			20.00	24.25	25.75	32.00	
	(mm)	10.2	393.7	26.5			508.0	616.0	654.1	14.51	
B0944F		0.40	17.50	1.05			25.57	27.50	29.75	50.50	
	(mm)	10.2	444.5	26.5			649.5	698.5	755.7	22.90	



TIRE CURING BLADDERS, LLC



Large Truck / Rear Farm

Bladder Code	Reference Size (mm)	Crown Gauge A (mm)	Foot I.D. B (mm)	Foot Height C (mm)	Foot Width D (mm)	Neck Gauge E (mm)	Outside Diameter F (mm)	Over-all Height G (mm)	Effective Periphery H (mm)	Wt. Lbs (Kilos)	Etch PAGE 19
11458	19" X 1010 (mm)	0.59 15.0	18.62 472.9	0.87 22.1	0.55 14.0	0.47 11.9	32.28 819.9	39.8 1010.0	42.9 1090.0	97.00 43.99	
11459	19" X 1050 (mm)	0.59 15.0	18.62 472.9	0.87 22.1	0.55 14.0	0.47 11.9	32.28 819.9	41.34 1050.0	44.5 1131.0	105.00 47.62	
11321	19"- 1150 (mm)	0.59 15.0	18.62 472.9	0.87 22.1	0.55 14.0	0.47 11.9	32.28 819.9	45.28 1150.1	48.82 1240.0	112.00 50.79	4
11344	31" X 360 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	14.17 360.0	15.98 406.0	45.98 20.90	
11454	31" X 500 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	19.69 500.0	21.49 546.0	63.90 28.98	
11322	31"- 550 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	21.65 550.0	23.47 596.1	68.90 31.25	4
11461	31" X 575 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	22.64 575.0	24.45 621.0	72.00 32.65	
11323	31"- 600 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	23.62 599.9	25.43 645.9	73.50 33.33	4
11462	31" X 625 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	24.61 625.0	26.42 671.0	79.50 36.05	
11463	31" X 650 (mm)	0.63 16.0	31.02 787.9	0.87 22.1	0.55 14.0	0.47 11.9	39.57 1005.1	25.59 650.0	27.40 696.0	82.50 37.41	
10098	32"X-large (mm)	0.55 14.0	27.00 685.8	1.25 31.8	0.56 14.2	0.63 16.0	39.00 990.6	54.4 1381.8	57.00 1447.8	148.00 67.12	
11464	33" X 560 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	22.05 560.0	24.02 610.0	138.00 62.59	
11324	33" - 600 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	23.62 599.9	25.59 650.0	81.80 37.10	4
11325	33" - 650 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	25.59 650.0	27.56 700.0	93.20 42.27	4
11466	33" X 710 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	27.95 710.0	29.92 760.0	84.00 38.10	
11326	33" - 745 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	29.33 745.0	31.30 795.0	99.00 44.90	4
11327	33" - 820 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	32.28 819.9	34.25 870.0	109.00 49.55	4
11328	33" - 860 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	33.86 860.0	35.83 910.1	114.00 51.70	4
11465	33" X 900 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	35.43 900.0	37.37 949.2	110.00 49.89	
11329	33" - 950 (mm)	0.63 16.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	37.40 950.0	39.37 1000.0	121.00 55.00	4

TIRE CURING BLADDERS, LLC



Large Truck / Rear Farm

Bladder Code	Reference Size (mm)	Crown Gauge	Foot I.D.	Foot Height	Foot Width	Neck Gauge	Outside Diameter	Over-all Height	Effective Periphery	Wt. Lbs (Kilos)	Etch Page 19
		A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)		
11330	33" - 990 (mm)	0.63 16.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	38.98 990.1	40.94 1040.0	122.00 55.33	4
11331	33" - 1040 (mm)	0.63 16.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	40.94 1039.9	42.91 1090.0	131.00 59.41	4
11453	33" X 1170 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	46.06 1170.0	48.03 1220.0	150.00 68.18	
11474	33" X 1210 (mm)	0.59 15.0	32.52 826.0	0.87 22.1	0.55 14.0	0.47 11.9	44.09 1119.9	47.63 1210.0	49.61 1260.0	162.00 73.47	
11483	34"-38" large (mm)	0.40 10.2	29.0 736.6	1.25 31.8	0.63 16.0	0.63 16.0	38.06 966.7	29.60 751.8	33.78 858.0	69.10 31.34	1
4746	34"-38" large (mm)	0.40 10.2	29.50 749.3	1.25 31.8	0.63 16.0	0.63 16.0	38.06 966.7	29.60 751.8	33.78 858.0	69.10 31.34	1
7106	34"-38" X-large (mm)	0.48 12.2	29.50 749.3	1.33 33.8	0.63 16.0	0.63 16.0	38.00 965.2	36.14 918.0	40.00 1016.0	97.10 44.04	3
11469	35" X 385 (mm)	0.49 12.4	35.06 890.5	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	15.16 385.0	17.13 435.0	65.00 29.48	
11470	35" X 450 (mm)	0.49 12.4	35.06 890.5	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	17.72 450.0	19.69 500.0	63.00 28.57	
11471	35" X 485 (mm)	0.49 12.4	35.06 890.5	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	19.09 485.0	21.06 535.0	67.00 30.39	
11472	35" X 550 (mm)	0.49 12.4	35.06 890.5	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	21.65 550.0	23.62 600.0	76.00 34.47	
11467	39" X 385 (mm)	0.49 12.4	38.39 975.1	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	15.16 385.0	16.73 425.0	68.00 30.84	
11332	39" - 450 (mm)	0.49 12.4	38.39 975.1	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	17.72 450.1	19.29 490.0	69.30 31.43	4
11333	39" - 485 (mm)	0.49 12.4	38.39 975.1	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	19.09 484.9	20.67 525.0	70.00 31.75	4
11468	39" X 550 (mm)	0.49 12.4	38.39 975.1	1.38 35.1	0.63 16.0	0.47 11.9	44.09 1119.9	21.65 550.0	23.24 590.0	77.00 35.00	
8438	42" (mm)	0.48 12.2	33.00 838.2	1.33 33.8	0.63 16.0	0.63 16.0	40.00 1016.0	36.22 920.0	40.00 1016.0	110.50 50.11	3
10928	42" (mm)	0.48 12.2	33.00 838.2	1.00 25.4	0.63 16.0	0.63 16.0	40.00 1016.0	36.22 920.0	40.00 1016.0	106.00 48.18	3
10128	Med46"BOM/Radial (mm)	0.39 9.9	42.23 1072.6	1.36 34.5	0.63 16.0	0.64 16.3	59.25 1505.0	21.63 549.4	30.65 778.5	118 53.63	
10127	Lg46"BOM/Radial (mm)	0.39 9.9	42.23 1072.6	1.36 34.5	0.63 16.0	0.64 16.3	59.25 1505.0	25.38 644.7	34.40 873.8	128.0 58.18	